8
BLUEPRINT
CERAMICS

Studio 54 - A Design Statement with Commercial-Grade Performance Inspired by the glam aesthetic of the 70s, the Studio 54 tile collection blends bold color and retro-modern form with technical excellence. Designed for high-impact interiors, this porcelain series offers architects and specifiers a flexible solution for feature walls, commercial bathrooms, boutique retail, and hospitality spaces.

Project Suitability

All project types Internal/External Walls
Retail & Hospitality
Residential, Renovation & New Build

BLUEPRINT
CERAMICS

BLUEPRINT
CERAMICS

Maison Cafè

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS001

60x240mm
8.5mm Thickness
Gloss Finish

BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS002

60x240mm
8.5mm Thickness
Gloss Finish

BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS003

60x240mm
8.5mm Thickness
Gloss Finish



BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS004

60x240mm
8.5mm Thickness
Gloss Finish

BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS005

60x240mm
8.5mm Thickness
Gloss Finish

BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS006

60x240mm
8.5mm Thickness
Gloss Finish

BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS007

60x240mm
8.5mm Thickness
Gloss Finish

BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS008

60x240mm
8.5mm Thickness
Gloss Finish



BLUEPRINT
CERAMICS

STUDIO 54 | DESIGN PORCELAIN TILES

8 COLOURS |1 FINISHES | 1 FORMATS



BPS009

60x240mm
8.5mm Thickness
Gloss Finish

BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES	GLOSS
THICKNESS	8.5mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Length & Width	BS EN ISO 10545-2	CONFORMS
Thickness	BS EN ISO 10545-2	CONFORMS
Straightness of Sides	BS EN ISO 10545-2	CONFORMS
Rectangularity	BS EN ISO 10545-2	CONFORMS
Flatness	BS EN ISO 10545-2	CONFORMS
Water Absorbtion	BS EN ISO 10545-3	CONFORMS
Flexion Resistance	BS EN ISO 10545-4	N/A
Breaking Strength	BS EN ISO 10545/5	S ≥ 1400 N
Abrasion Resistance	BS EN ISO 10545-6	N/A
Reaction to Fire	BS EN ISO 10545-12	N/A
Chemical Resistance	BS EN ISO 10545-13	HA/LA/A
Resistance to Stains	BS EN ISO 10545-14	5

BLUEPRINT

CERAMICS