# DISCO | 3D EFFECT TILES

61 STYLES




The perfect accent for your next project. Add a little extra flare to your space with these 3D extruded porcelain tiles in vivid colours. Available in a wide range of styles and patterns, these tiles are perfect for indoor and outdoor installations.

## Project Suitability

All project types Internal/External Walls/ Floors
Commercial Projects
Retail & Hospitality
Residential, Renovation & New Build

# DISCO

3D EFFECT TILES

61 STYLES





BPBNTDZ01

BPBNTDZ02

BPBNTDZ03

BPBNTDZ04

BPBNTDZ05



BPBNTDZ06



125x400mm
Thickness: 15mm

BLUEPRINT
CERAMICS

BPBNTDZ07

BPBNTDZ08

BPBNTDZ09

BPBNTDZ10

BPBNTDZ11

BPBNTDZ12

BPBNTDZ13

150x400mm
Thickness: 15mm

BLUEPRINT
CERAMICS

BPBNTDZ15

BPBNTDZ16

BPBNTDZ17

BPBNTDZ18

BPBNTDZ19



BPBNTDZ20

170x400mm
Thickness: 15mm

BLUEPRINT
CERAMICS

BPBNTDZ29

BPBNTDZ30

BPBNTDZ31

BPBNTDZ32

150x400mm
Thickness: 15mm

BLUEPRINT
CERAMICS

BPBNTDZ39

BPBNTDZ40

BPBNTDZ41

BPBNTDZ42

BPBNTDZ43

BPBNTDZ44

100x390mm
Thickness: 15mm

BLUEPRINT
CERAMICS

BPBNTDZ45

BPBNTDZ46

BPBNTDZ47



BPBNTDZ48

100x200mm
Thickness: 15mm

BLUEPRINT
CERAMICS

BPBNTDZ51

BPBNTDZ52

BPBNTDZ53

BPBNTDZ54

BPBNTDZ55

BPBNTDZ56

125x300mm
Thickness: 15mm

BLUEPRINT
CERAMICS

BPBNTDZ57

BPBNTDZ58

BPBNTDZ59

BPBNTDZ60

BPBNTDZ61

125x300mm
Thickness: 15mm

BLUEPRINT
CERAMICS

# TECHNICAL DATA

FINISHES | Matt/Gloss

THICKNESS | Various

| TEST DESCRIPTION | TEST REQUIREMENT | VALUE |
|---|---|---|
| Sides | BS EN ISO 10545-2 | Conforms |
| Thickness | BS EN ISO 10545-2 | Conforms |
| Straightness of Sides | BS EN ISO 10545-2 | Conforms |
| Rectangularity | BS EN ISO 10545-2 | Conforms |
| Surface Flatness | BS EN ISO 10545-2 | Conforms |
| Water Absorbtion | BS EN ISO 10545-3 | ≤ 0,1% |
| Flexion Resistance | BS EN ISO 10545-4 | Conforms |
| Breaking Strength | BS EN ISO 10545/5 | Conforms |
| Abrasion Resistance | BS EN ISO 10545-6 | Conforms |
| Frost Resistance | BS EN ISO 10545-12 | Resistant |
| Chemical Resistance | BS EN ISO 10545-13 | Conforms |
| Resistance to Stains | BS EN ISO 10545-14 | Resistant |

BLUEPRINT

CERAMICS