



BLUEPRINT
CERAMICS



The Kalahari Collection is a glossy white-body ceramic tile series designed for architectural interiors. Available in 5×30, 7.5×30 and 20×20 cm, it combines a luminous glaze with a refined colour palette ideal for contemporary residential, hospitality and commercial projects.

Project Suitability

All project types

Internal Commercial Projects

Retail & Hospitality

Residential, Renovation & New Build

KALAHARI

DECORATIVE CERAMIC TILES

5 COLOURS | 1 FINISHES | 3 FORMATS



BPKH01 (75x300mm)



BPKH06 (50x300mm)




BPKH11 (200x200mm)



BPKH16 (200x200mm)



BPKH02 (75x300mm)



BPKH07 (50x300mm)




BPKH12 (200x200mm)




BPKH17 (200x200mm)



BPKH03 (75x300mm)



BPKH08 (50x300mm)




BPKH12 (200x200mm)



BPKH18 (200x200mm)



BPKH04 (75x300mm)



BPKH09 (50x300mm)




BPKH13 (200x200mm)



BPKH19 (200x200mm)



BPKH05 (75x300mm)



BPKH10 (50x300mm)



BPKH14 (200x200mm)



BPKH20 (200x200mm)



TECHNICAL DATA

FINISHES

GLOSS

THICKNESS

8.4mm/7.8mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	$\leq 15\%$
Flexion Resistance	BS EN ISO 10545-4	$>23 \text{ N/mm}^2$
Breaking Strength	BS EN ISO 10545/5	N/A
Abrasion Resistance	BS EN ISO 10545-6	N/A
Frost Resistance	BS EN ISO 10545-12	Resistant
Chemical Resistance	BS EN ISO 10545-13	GLA GHA
Resistance to Stains	BS EN ISO 10545-14	Class 5

**BLUEPRINT
CERAMICS**