

ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS





The Arcotta collection takes you on a journey through time; it encapsulates the past and present in a sublime complement. At its core, it is an ode to natural terracotta, preserving and enhancing its original, historical essence. Yet, the Arcotta collection doesn't stop at merely preserving tradition. It dares to venture further, meticulously intertwining the rustic charm of terracotta with the sleek, sophisticated lines of modern architecture.


Project Suitability

All project types Internal Walls & Floors
Commercial Projects
Retail & Hospitality
Residential, Renovation & New Build

ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS



ARCOTTA

TERRACOTTA MOSAIC TILES


1 COLOURS | 1 FINISHES | 9 FORMATS



ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS



BPBFCAC01

14mm
13x48mm Matt




BLUEPRINT
CERAMICS

ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS



BPBFCAC02

14mm
13x98mm Matt




BLUEPRINT
CERAMICS

ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS



BPBFCAC03

14mm
13x48mm Matt




BLUEPRINT
CERAMICS

ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS



BPBFCAC04

14mm
13x148mm Matt




BLUEPRINT
CERAMICS

ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS



BPBFCAC05

14mm
28x148mm Matt




BLUEPRINT
CERAMICS

ARCOTTA

TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS



BPBFCAC06

14mm
28x298mm Matt




BLUEPRINT
CERAMICS

ARCOTTA


TERRACOTTA MOSAIC TILES

1 COLOURS | 1 FINISHES | 9 FORMATS




BPBFCAC07

12mm
48x147mm Matt



BPBFCAC08

12mm
72x295mm Matt



BPBFCAC09

12mm
72x295mm Matt

BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES

MATT R12

THICKNESS

12/14mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Length & Width	BS EN ISO 10545-2	±1,5%
Thickness	BS EN ISO 10545-2	±1,0%
Straightness of Sides	BS EN ISO 10545-2	±1,0%
Rectangularity	BS EN ISO 10545-2	t 1,(%)
Surface Flatness	BS EN ISO 10545-2	±1,5%
Water Absorbtion	BS EN ISO 10545-3	≤ 7%
Flexion Resistance	BS EN ISO 10545-4	n/a
Impact Resistance	BS EN ISO 10545/5	n/a
Abrasion Resistance	BS EN ISO 10545-6	Complies
Frost Resistance	BS EN ISO 10545-12	Complies
Chemical Resistance	BS EN ISO 10545-13	Complies
Resistance to Stains	BS EN ISO 10545-14	Removable

BLUEPRINT CERAMICS