

FLUTES

3D CERAMIC TILES

12 COLOURS | 2 FINISHES | 1 FORMATS



FLUTES

3D CERAMIC TILES

12 COLOURS | 2 FINISHES | 1 FORMATS




BLUEPRINT
CERAMICS

FLUTES

3D CERAMIC TILES

12 COLOURS | 2 FINISHES | 1 FORMATS




BLUEPRINT
CERAMICS

FLUTES


3D CERAMIC TILES

12 COLOURS | 2 FINISHES | 1 FORMATS


BPBVGFF01 GLOSS




BPBVGFF02 GLOSS



BPBVGFF03 GLOSS



BPBVGFF04 GLOSS



50x200mm


BLUEPRINT
CERAMICS

FLUTES


3D CERAMIC TILES

12 COLOURS | 2 FINISHES | 1 FORMATS


BPBVGFF05 GLOSS




BPBVGFF06 GLOSS



BPBVGFF07 SATIN



BPBVGFF08 SATIN



50x200mm


BLUEPRINT
CERAMICS

FLUTES


3D CERAMIC TILES

12 COLOURS | 2 FINISHES | 1 FORMATS


BPBVGFF09 SATIN




BPBVGFF10 SATIN



BPBVGFF11 SATIN



BPBVGFF12 SATIN



50x200mm

BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES

SATIN/GLOSS

THICKNESS

7.5mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Length & Width	BS EN ISO 10545-2	COMPLIES
Thickness	BS EN ISO 10545-2	COMPLIES
Straightness of Sides	BS EN ISO 10545-2	COMPLIES
Rectangularity	BS EN ISO 10545-2	COMPLIES
Flatness	BS EN ISO 10545-2	COMPLIES
Water Absorbtion	BS EN ISO 10545-3	0.5%
Flexion Resistance	BS EN ISO 10545-4	COMPLIES
Breaking Strength	BS EN ISO 10545/5	30 N/mm2 min.
Abrasion Resistance	BS EN ISO 10545-6	N/A
Reaction to Fire	BS EN ISO 10545-12	A1FL -A1
Chemical Resistance	BS EN ISO 10545-13	GB/GLB/GHB
Resistance to Stains	BS EN ISO 10545-14	3

BLUEPRINT CERAMICS