

LUMINO

MARBLE EFFECT PORCELAIN

3 COLOURS | 2 FINISHES | 3 FORMATS



BLUEPRINT
CERAMICS

LUMINO

MARBLE EFFECT PORECLAIN

3 COLOURS | 2 FINISHES | 3 FORMATS



These special slabs are not just building materials, they go beyond to shape the character and personality of luxurious and distinctive interiors. The allure they create is perfect for both breathtaking architectural masterpieces and intimate, mysterious spaces. Their use sets up an ambiance of glamour and timeless beauty.

Project Suitability|

All project types internal
walls & Floors
Commercial Projects
Retail & Hospitality
Residential, Renovation & New
Build

LUMINO

MARBLE EFFECT PORECLAIN


3 COLOURS | 2 FINISHES | 3 FORMATS



LUMINO

MARBLE EFFECT PORCELAIN

3 COLOURS | 2 FINISHES | 3 FORMATS




LUMINO

MARBLE EFFECT PORCELAIN

3 COLOURS | 2 FINISHES | 3 FORMATS

BPLM01



1200x1200mm Polished
6000x1200mm Polished/Matt
1200x2780mm Polished



**BLUEPRINT
CERAMICS**

LUMINO

MARBLE EFFECT PORCELAIN

3 COLOURS | 2 FINISHES | 3 FORMATS

BPLM02



1200x1200mm Polished/Matt
6000x1200mm Polished/Matt
1200x2780mm Polished




BLUEPRINT
CERAMICS

LUMINO

MARBLE EFFECT PORCELAIN

3 COLOURS | 2 FINISHES | 3 FORMATS

BPLM03



1200x1200mm Polished
6000x1200mm Polished
1200x2780mm Polished



BLUEPRINT
CERAMICS

LUMINO

MARBLE EFFECT PORECLAIN

3 COLOURS | 2 FINISHES | 3 FORMATS

TECHNICAL DATA

FINISHES

MATT
POLISHED

THICKNESS

9mm
6mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	Conforms
Flexion Resistance	BS EN ISO 10545-4	6,5 mm 9 mm ≥ 35 N/mm ² ≥ 45 N/mm ²
Impact Resistance	BS EN ISO 1054-5	Conforms
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	Conforms
Chemical Resistance	BS EN ISO 10545-13	Conforms
Resistance to Stains	BS EN ISO 10545-14	Conforms



**BLUEPRINT
CERAMICS**