

ENVELOPE | DESIGN CERAMIC TILES

4 COLOURS | 2 FINISHES | 1 FORMATS



BLUEPRINT
CERAMICS

THE FAMILY HOME sans



The Envelope Tile Collection offers a captivating blend of geometric artistry and earthy clay tones, designed to elevate any space. With a rich terracotta palette and subtle textural patterns, these tiles are perfect for accent walls, living rooms, and modern interiors. Inspired by mid-century modern design, the Envelope Collection is both timeless and contemporary. Transform your space with tiles that make a statement.

Project Suitability

All project types
Internall Walls
Retail & Hospitality
Residential, Renovation & New Build

ENVELOPE | DESIGN CERAMIC TILES

4 COLOURS | 2 FINISHES | 1 FORMATS



ENVELOPE | DESIGN CERAMIC TILES

4 COLOURS | 2 FINISHES | 1 FORMATS



ENVELOPE

DESIGN CERAMIC TILES

4 COLOURS | 2 FINISHES | 1 FORMATS



BPEV01 (MIXED TILES)

118x118mm
8.3mm Thickness
Matt Finish



BPEV05 (PLAIN TILE)



**BLUEPRINT
CERAMICS**



BPEV02 (MIXED TILES)

118x118mm
8.3mm Thickness
Matt Finish



BPEV06 (PLAIN TILE)



**BLUEPRINT
CERAMICS**

ENVELOPE

DESIGN CERAMIC TILES

4 COLOURS | 2 FINISHES | 1 FORMATS



BPEV03 (MIXED TILES)

118x118mm
8.3mm Thickness
Matt Finish



BPEV07 (PLAIN TILE)



**BLUEPRINT
CERAMICS**



BPEV04 (MIXED TILES)

118x118mm
8.3mm Thickness
Matt Finish

BPEV08 (PLAIN TILE)



**BLUEPRINT
CERAMICS**

TECHNICAL DATA

FINISHES

MATT R10

THICKNESS

8.3mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Length & Width	BS EN ISO 10545-2	± 0,75 mm
Thickness	BS EN ISO 10545-2	± 0,5 mm
Straightness of Sides	BS EN ISO 10545-2	± 0,5 mm
Rectangularity	BS EN ISO 10545-2	± 0,75 mm
Flatness	BS EN ISO 10545-2	± 0,75 mm
Water Absorbtion	BS EN ISO 10545-3	0.5%
Flexion Resistance	BS EN ISO 10545-4	> 10%
Breaking Strength	BS EN ISO 10545/5	> 600 N
Abrasion Resistance	BS EN ISO 10545-6	3
Reaction to Fire	BS EN ISO 10545-12	N/A
Chemical Resistance	BS EN ISO 10545-13	HA/LA/A
Resistance to Stains	BS EN ISO 10545-14	5

**BLUEPRINT
CERAMICS**