

ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS





The ONDO collection is a modern ceramic tile series designed to transform spaces with bold texture, dynamic patterns, and vibrant color palettes. Inspired by contemporary architecture and interior design trends, ONDO combines glossy surfaces with geometric reliefs, creating walls and counters that radiate character and depth. Available in rich teal, deep green, and terracotta red, each piece in the ONDO collection enhances both residential and commercial environments – from stylish cafés and boutique bars to sophisticated living rooms and feature walls. ONDO tiles offer a perfect balance of artistry and functionality, giving designers, architects, and homeowners a versatile solution for expressive interiors.

## Project Suitability

All project types  
Internal Walls  
Commercial Projects  
Retail & Hospitality  
Residential, Renovation & New Build

ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS

BPON01

BPON08



40x315mm

**BLUEPRINT**  
CERAMICS

ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS

BPON02

BPON09



40x315mm

**BLUEPRINT  
CERAMICS**

ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS

BPON03

BPON10



40x315mm



**BLUEPRINT**  
CERAMICS

ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS

BPON04

BPON11



40x315mm

**BLUEPRINT**  
CERAMICS

ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS

BPON05

BPON12



40x315mm

**BLUEPRINT**  
CERAMICS

ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS

BPON06

BPON13



40x315mm



**BLUEPRINT**  
CERAMICS



ONDO

3D CERAMIC TILES

7 COLOURS | 1 FINISHES | 2 FORMATS

BPON07

BPON14



40x315mm



**BLUEPRINT  
CERAMICS**

TECHNICAL DATA

FINISHES

Gloss

THICKNESS

8.8mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Curvature Flatness	BS EN ISO 10545-2	N/A
Thickness	BS EN ISO 10545-2	N/A
Straightness of Sides	BS EN ISO 10545-2	N/A
Rectangularity	BS EN ISO 10545-2	N/A
Surface Flatness	BS EN ISO 10545-2	N/A
Water Absorbtion	BS EN ISO 10545-3	10%
Flexion Resistance	BS EN ISO 10545-4	RM> 150kg/cm2
Impact Resistance	BS EN ISO 10545/5	N/A
Abrasion Resistance	BS EN ISO 10545-6	N/A
Frost Resistance	BS EN ISO 10545-12	N/A
Chemical Resistance	BS EN ISO 10545-13	Complies
Resistance to Stains	BS EN ISO 10545-14	Complies

**BLUEPRINT  
CERAMICS**