


CHAIN REACTION | DESIGN CERAMIC TILES

8 COLOURS | 1 FINISHES | 3 FORMATS




BLUEPRINT  
CERAMICS


BPBCVCW01



BPBCVCW09



BPBCVCW17




BPBCVCW25




450x112.5mm Gloss



BPBCVCW02




BPBCVCW10



BPBCVCW18



BPBCVCW26





450x112.5mm Gloss


BPBCVCW03



BPBCVCW11



BPBCVCW19




BPBCVCW27





450x112.5mm Gloss



BPBCVCW04




BPBCVCW12



BPBCVCW20




BPBCVCW28





450x112.5mm Gloss



BPBCVCW05




BPBCVCW13



BPBCVCW21




BPBCVCW29





450x112.5mm Gloss



BPBCVCW06




BPBCVCW14



BPBCVCW22




BPBCVCW30





450x112.5mm Gloss


BPBCVCW07





BPBCVCW15



BPBCVCW23




BPBCVCW31





450x112.5mm Gloss



BPBCVCW08





BPBCVCW16



BPBCVCW24



BPBCVCW32



450x112.5mm Gloss

TECHNICAL DATA

FINISHES

Gloss

THICKNESS

8mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Length & Width	BS EN ISO 10545-2	N/A
Thickness	BS EN ISO 10545-2	N/A
Straightness of Sides	BS EN ISO 10545-2	N/A
Rectangularity	BS EN ISO 10545-2	N/A
Flatness	BS EN ISO 10545-2	N/A
Water Absorbtion	BS EN ISO 10545-3	$E_v \leq 0,5\%$
Flexion Resistance	BS EN ISO 10545-4	N/A
Breaking Strength	BS EN ISO 10545/5	$E > 12 \text{ N/mm}^2$
Abrasion Resistance	BS EN ISO 10545-6	N/A
Reaction to Fire	BS EN ISO 10545-12	N/A
Chemical Resistance	BS EN ISO 10545-13	Type A
Resistance to Stains	BS EN ISO 10545-14	Class 5

**BLUEPRINT  
CERAMICS**