

D RIPSTONE

STONE EFFECT PORCELAIN

4 COLOURS | 2 FINISHES | 6 FORMATS





Dripstone porcelain tiles capture the natural elegance of travertine stone with the strength and practicality of modern porcelain. Inspired by classic limestone formations and subtle mineral textures, this collection brings soft movement and refined character to contemporary interiors. Designed for both floors and walls, Dripstone tiles offer the beauty of natural stone without the maintenance. The delicate veining and gentle tonal variation create a calm, architectural surface that works beautifully in bathrooms, kitchens, living spaces and open plan interiors. Manufactured using advanced porcelain technology, these tiles are highly durable, moisture resistant and easy to maintain, making them ideal for both residential and commercial environments. With neutral earthy tones and a timeless stone aesthetic, Dripstone porcelain tiles provide a versatile foundation for modern, minimalist and natural interior design schemes.

Project Suitability

All project types Internal/External Walls/
Floors


Commercial Projects

Retail & Hospitality

Residential, Renovation & New Build

DRIPSTONE | STONE EFFECT PORCELAIN TILES

4 COLOURS | 2 FINISHES | 6 FORMATS



DRIPSTONE | STONE EFFECT PORCELAIN TILES

4 COLOURS | 2 FINISHES | 6 FORMATS

BPDR01



Sizes

600x900mm
600x600mm
400x600mm
400x400mm
200x400mm
200x200mm



BLUEPRINT
CERAMICS

D RIPSTONE | STONE EFFECT PORCELAIN TILES

4 COLOURS | 2 FINISHES | 6 FORMATS

BPDR02



Sizes

600x900mm
600x600mm
400x600mm
400x400mm
200x400mm
200x200mm



BLUEPRINT
CERAMICS

DRIPSTONE | STONE EFFECT PORCELAIN TILES

4 COLOURS | 2 FINISHES | 6 FORMATS

BPDR03



Sizes

600x900mm
600x600mm
400x600mm
400x400mm
200x400mm
200x200mm



BLUEPRINT
CERAMICS

DRIPSTONE | STONE EFFECT PORCELAIN TILES

4 COLOURS | 2 FINISHES | 6 FORMATS

BPDR04



Sizes

600x900mm
600x600mm
400x600mm
400x400mm
200x400mm
200x200mm



BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES

Natural/Grip

THICKNESS

9mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	≤ 0,5%
Flexion Resistance	BS EN ISO 10545-4	Conforms
Breaking Strength	BS EN ISO 10545/5	Conforms
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	Resistant
Chemical Resistance	BS EN ISO 10545-13	Conforms
Resistance to Stains	BS EN ISO 10545-14	Resistant

BLUEPRINT CERAMICS